

MV cables Tools

CWF3/60



Section

MV Multifunction

Application

Field
Laboratory



PRODUCT BENEFITS

Tuning of the pitch of the tool (width of the chip sheath)
Embedded wear pads to protect the tool from the contact with the outer sheath
All in one

TOOL CAPACITY

Diameter	16 - 58 mm 0,630 - 2,283 inch
Peelable semiconductor thickness capacity	Option
Insulation thickness capacity	7 mm / 0,276 in
Remaining length of the semiconductor	30-40-45 mm / 1,181-1,575-1,772 in

TOOL DIMENSIONS

Length	305 mm
Width	115 mm
Height	165 mm
Weight without box	1,67 Kg
Packaging	None

Multi-function tool for outer sheath and insulation

TO DO WHAT

The CWF3/60 tools enables the user to :
Remove the outer sheath (PE-PVC-PR) with a straight and neat cut
Set the length and remove the insulation with a straight and neat cut
Other functions in option



Options

SRC-W - Scoring stylus for peelable semiconductor with chamfer on the transition
SCH-D - Cutting pencil to chamfer the end of the insulation
SFC-D07 - Scoring pencil with fixed depth 0,7mm for peelable semiconductor with chamfer
SR-W - Scoring stylus for peelable semiconductor

Spare part

KIT-MF3/40 - Protective wear pads
LCWF2 - Spare blade for outer sheath and insulation CWF3/60
BR - Thrust to set the length of insulation to be remove
VBB1 - Screw for locking the thrust
PCR - Quick set up right angled 45° handle
196855 - Straight handle M10
108098 - Clamping knob for blade

Associated tool

DSP - Peelable semiconductor lifter
C-SR - Wrench to replace the semiconductor blade



**THORNE &
DERRICK
INTERNATIONAL**

Thorne & Derrick
+44 (0) 191 410 4292
www.powerandcables.com

MV cables Tools
CWF3/60



Part Number	Diameter	Tool capacity			Dimensions			Packaging
		Peable semiconductor thickness capacity	Insulation thickness capacity	Remaining length of the semiconductor	Length	Width	Height	
CWF3/60	16 - 58 mm 0,630 - 2,283 in	Option	7 mm / 0,276 in	30-40-45 mm / 1,181-1,575-1,772 in	305 mm 12,008 in	115 mm 4,528 in	165 mm 6,496 in	none



**THORNE &
 DERRICK
 INTERNATIONAL**

Thorne & Derrick
 +44 (0) 191 410 4292
www.powerandcables.com